


# AXIS Audio Manager Pro

Audio management software for larger and more advanced audio systems

AXIS Audio Manager Pro provides easy, remote management of large IP audio installations. Take control of your complete audio system from one single user interface which handles, for example, system setup of audio devices, zone management, audio content management, and audio scheduling. AXIS Audio Manager Pro lets you handle live or scheduled announcements, emergency messages, broadcast background music and more, either individually in separate zones or to all the devices in all zones. With intuitive operation and online device status monitoring, AXIS Audio Manager Pro realizes the benefits of network audio. The AXIS Audio Manager Pro software is easy to install and can run both on dedicated hardware or virtual machines.

- > **Up to 5,000 speakers in 100 zones**
- > **Central control**
- > **Zone management**
- > **Advanced scheduling**
- > **Real-time configuration without downtime**



# AXIS Audio Manager Pro

| General                     |  |
|-----------------------------|--|
| <b>Supported devices</b>    | 5000 audio devices   |
| <b>Languages</b>            | English, French, German, Spanish, Italian, Dutch   |
| <b>Licenses</b>             | Unlimited  |
| <b>Compatible products</b>  | AXIS C1004-E, AXIS C2005, AXIS C3003-E, AXIS C8033, AXIS C8210, AXIS C1310-E, AXIS C1410   |
| <b>Operating system</b>     | Windows 10 IoT 2016 LTSB, Windows Server 2016, 2019  |
| System requirements         |  |
| <b>Minimum requirements</b> | Hardware installation: Intel® Core™ i3-7100T<br>Virtual machine support: VMware ESXi, Microsoft Hyper-V, and Microsoft Windows Datacenter with configuration and resources allocated similar to the minimum hardware requirements. |
| Audio                       |  |
| <b>Audio streaming</b>      | Opus 48 kHz stereo with 64, 192 or 320 kbps  |
| <b>Audio sources</b>        | C8033 and C8210 as line in audio sources.<br>Internet radio supported file formats: m3u, pls, asx  |
| <b>Audio files</b>          | Supported audio file formats: mp3, mp4, mpeg, aac, wma, ogg, flac, wav   |
| <b>VoIP</b>                 | L16 mono, G.722, G.711u, G.711a  |
| Network                     |  |
| <b>Supported protocols</b>  | IPv4, HTTP, HTTPS, DNS, NTP, RTP, RTSP, TCP, UDP, DHCP, SIP, mDNS, M3U   |
| System integration          |  |
| <b>Audio streaming</b>      | Support for internet radio by URL.   |
| <b>Dante</b>                | Can be connected to Dante using virtual soundcards.  |
| <b>VoIP</b>                 | Support for Session Initiation Protocol (SIP)<br>Connectivity to IP-PBX servers via SIP trunk or peer-to-peer  |
| System                      |  |
| <b>Logs</b>                 | System log, syslog server support  |

Environmental responsibility:

[axis.com/environmental-responsibility](https://www.axis.com/environmental-responsibility)